

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ad: Adrian, drained-----	75	Very limited Ponding Depth to saturated zone Filtering capacity Subsidence	 1.00 1.00  1.00 1.00	Very limited Ponding Seepage Depth to saturated zone Content of organic matter	 1.00 1.00  1.00 1.00
Ag: Alida-----	90	Very limited Depth to saturated zone Filtering capacity Restricted permeability	 1.00 1.00  0.46	Very limited Seepage Depth to saturated zone	 1.00 1.00
BaA: Blount-----	90	Very limited Restricted permeability Depth to saturated zone	 1.00 1.00	Not limited	
Br: Bourbon-----	90	Very limited Depth to saturated zone Filtering capacity	 1.00 1.00	Very limited Seepage Depth to saturated zone	 1.00 1.00
BtA: Brems-----	90	Very limited Depth to saturated zone Filtering capacity	 1.00 1.00	Very limited Seepage Depth to saturated zone	 1.00 1.00
ChB: Chelsea-----	90	Very limited Filtering capacity	 1.00	Very limited Seepage Slope	 1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ChC: Chelsea-----	90	Very limited Filtering capacity Slope	 1.00 0.04	Very limited Seepage Slope	 1.00 1.00
De: Del Rey-----	90	Very limited Restricted permeability Depth to saturated zone	 1.00 1.00	Not limited	
DoA: Door-----	90	Somewhat limited		Somewhat limited	

		Restricted permeability	0.46	Seepage	0.53
Du: Dune Land-----	100	Not rated		Not rated	
Ed: Edwards-----	100	Very limited Restricted permeability Depth to saturated zone Subsidence	1.00 1.00 1.00	Very limited Content of organic matter Depth to saturated zone	1.00 1.00
ElA: Elliott-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Not limited	
EsA: Elston-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
Fh: Fluvaquents-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00
Gf: Gilford-----	75	Very limited Ponding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone	1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HaA: Hanna-----	90	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.46	Very limited Seepage Depth to saturated zone	1.00 1.00
HKA: Haskins-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Seepage	0.53
Hm: Houghton-----	100	Very limited Depth to saturated zone Subsidence	1.00 1.00	Very limited Content of organic matter Depth to saturated zone	1.00 1.00
Ho: Houghton, drained---	75	Very limited Ponding Depth to saturated zone Subsidence	1.00 1.00 1.00	Very limited Ponding Content of organic matter Depth to saturated zone Seepage	1.00 1.00 1.00 1.00
LyA: Lydick-----	90	Very limited Filtering capacity Restricted permeability	1.00 0.46	Very limited Seepage	1.00
LyB: Lydick-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00

		Restricted permeability	0.46	Slope	0.32
McA:					
Markham-----	90	Very limited		Somewhat limited	
		Depth to	1.00	Depth to	0.56
		saturated zone		saturated zone	
		Restricted permeability	1.00		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
McB:					
Markham-----	90	Very limited		Somewhat limited	
		Depth to	1.00	Depth to	0.56
		saturated zone		saturated zone	
		Restricted permeability	1.00	Slope	0.32
MfA:					
Martinsville-----	90	Somewhat limited		Very limited	
		Restricted permeability	0.46	Seepage	1.00
MfB:					
Martinsville-----	90	Somewhat limited		Very limited	
		Restricted permeability	0.46	Seepage	1.00
				Slope	0.32
Mm:					
Maumee-----	100	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone		Depth to	1.00
		Filtering capacity	1.00	saturated zone	
Mn:					
Maumee-----	100	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone		Depth to	1.00
		Filtering capacity	1.00	saturated zone	
MoB:					
Metea-----	100	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone		Depth to	0.96
		Filtering capacity	1.00	saturated zone	
		Restricted permeability	0.46	Slope	0.18
Mp:					
Milford-----	100	Very limited		Very limited	
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	
		Restricted permeability	1.00		
MrB2:					
Morley-----	90	Very limited		Somewhat limited	
		Restricted permeability	1.00	Depth to	0.96
		Depth to	1.00	saturated zone	
		saturated zone		Slope	0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MrC2:					
Morley-----	90	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00

		Depth to saturated zone	1.00	Depth to saturated zone	0.96
		Slope	0.04		
MrD2:					
Morley-----	90	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.96
		Slope	1.00		
MrE:					
Morley-----	100	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Slope	1.00	Depth to saturated zone	0.02
		Depth to saturated zone	0.65		
MsC3:					
Morley-----	90	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	1.00
		Slope	0.04		
Mx:					
Morocco-----	90	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
Nf:					
Newton-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
OaC:					
Oakville-----	90	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
				Slope	1.00
OaE:					
Oakville-----	90	Very limited		Very limited	
		Filtering capacity	1.00	Slope	1.00
		Slope	1.00	Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Pa:					
Palms-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Subsidence	1.00	Content of organic matter	1.00
		Restricted permeability	0.72	Seepage	0.28
Pe:					
Pewamo-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00		
Ph:					
Pinhook-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
Pk:					
Pits-----	100	Not rated		Not rated	

P1B:					
Plainfield-----	90	Very limited		Very limited	
		Filtering	1.00	Seepage	1.00
		capacity		Slope	0.32
P1C:					
Plainfield-----	90	Very limited		Very limited	
		Filtering	1.00	Seepage	1.00
		capacity		Slope	1.00
		Slope	0.04		
RaB:					
Rawson-----	90	Very limited		Somewhat limited	
		Restricted	1.00	Depth to	0.56
		permeability		saturated zone	
		Depth to	1.00	Seepage	0.53
		saturated zone		Slope	0.32
RaC2:					
Rawson-----	90	Very limited		Very limited	
		Restricted	1.00	Slope	1.00
		permeability		Depth to	0.56
		Depth to	1.00	saturated zone	
		saturated zone	0.04	Seepage	0.53
		Slope			

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RIA:					
Riddles-----	90	Somewhat limited		Somewhat limited	
		Restricted	0.46	Seepage	0.53
		permeability			
R1B:					
Riddles-----	90	Somewhat limited		Somewhat limited	
		Restricted	0.46	Seepage	0.53
		permeability		Slope	0.32
RmC2:					
Riddles-----	90	Somewhat limited		Very limited	
		Restricted	0.46	Slope	1.00
		permeability		Seepage	0.53
		Slope	0.04		
RmD2:					
Riddles-----	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted	0.46	Seepage	0.53
		permeability			
Sb:					
Sebewa-----	100	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone		Depth to	1.00
		Filtering	1.00	saturated zone	
		capacity			
		Restricted	0.46		
		permeability			
Se:					
Selfridge-----	90	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Filtering	1.00		
		capacity			
		Restricted	1.00		
		permeability			
So:					
Suman-----	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to	1.00	Seepage	1.00
		saturated zone		Depth to	1.00
		Filtering	1.00	saturated zone	
		capacity			
		Restricted	1.00		
		permeability			
TcA:					
Tracy-----	90	Very limited		Somewhat limited	
		Filtering	1.00	Seepage	0.53

		capacity			
		Restricted	0.46		
		permeability			

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
TcB: Tracy-----	90	Very limited Filtering capacity Restricted permeability	1.00  0.46	Somewhat limited Seepage  Slope	0.53  0.32
TcC: Tracy-----	90	Very limited Filtering capacity Restricted permeability Slope	1.00  0.46 0.04	Very limited Slope  Seepage	1.00  0.53
TcD: Tracy-----	90	Very limited Filtering capacity Slope Restricted permeability	1.00 1.00 0.46	Very limited Slope  Seepage	1.00  0.53
TyA: Tyner-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
UbA: Udorthents-----	100	Not limited		Not limited	
Uc: Urban Land-----	55	Not rated		Not rated	
Blount-----	40	Not rated		Not rated	
UcG: Udorthents-----	100	Not limited		Not limited	
Ud: Urban Land-----	50	Not rated		Not rated	
Brems-----	40	Not rated		Not rated	
Ue: Urban Land-----	50	Not rated		Not rated	
Martinsville-----	40	Not rated		Not rated	
UmB: Urban Land-----	55	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Morley-----	40	Not rated		Not rated	
UpB: Urban Land-----	50	Not rated		Not rated	
Psamments-----	40	Not rated		Not rated	

Uw:					
Urban Land-----	55	Not rated		Not rated	
Whitaker-----	40	Not rated		Not rated	
W:					
Water-----	100	Not rated		Not rated	
Wa:					
Wallkill-----	100	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Filtering	1.00	Depth to	1.00
		capacity		saturated zone	
		Restricted	0.46	Content of	1.00
		permeability		organic matter	
We:					
Warners-----	100	Very limited		Very limited	
		Restricted	1.00	Depth to	1.00
		permeability		saturated zone	
		Depth to	1.00	Seepage	0.28
		saturated zone			
Wh:					
Washtenaw-----	100	Very limited		Very limited	
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	
		Restricted	0.46	Seepage	0.53
		permeability			
Wt:					
Whitaker-----	90	Very limited		Very limited	
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	
		Restricted	0.46	Seepage	1.00
		permeability			